



Automotive wiring harness waterproof plug

Automotive wiring harness waterproof plug

Waterproof plug

1. Material: Silicone rubber
2. Environmental protection: in line with ROHS certification
3. Excellent waterproof performance: self-permeable oil technology with waterproof plug
3. Features: waterproof, oil resistance, abrasion resistance, high and low temperature resistance, aging resistance, ozone resistance
4. Purpose: The hole position of the wire harness connector is threaded and fixed, which has the function of dustproof, waterproof and oilproof
5. Application scenarios: automotive industry, used in automotive wiring harness connectors
6. Reference standard for waterproof plug selection:

① Inner diameter

When matching, the outer diameter of the wire sheath +0.5mm ≥ the inner diameter of the waterproof plug ≥ the outer diameter of the wire sheath + 0.2mm.

② Outer diameter

When matching, the inner diameter of the sheath + 1.0mm> the outer diameter of the waterproof plug ≥ the inner diameter of the sheath + 0.2mm.


③ Height

The height of the waterproof plug shall not be higher than the height of the inner hole of the sheath.

Automotive wiring harness waterproof plug

Specification

RCCN Waterproof plug



Product number	Inside diameter (D) mm	outside diameter (d) mm	Height (H) mm	Applicable wire diameter (mm)	Colour	Smallest packaging
963530-1	1.1	3.8	7.6	1.4-1.6	Gray	1000
967067-1	0.8	4.1	8.6	1.3-1.5	Grass green	1000
967067-2	0.8	4.1	8.6	1.3-1.5	Yellow	1000
828904-1	1.0	5.6	7.6	1.3-1.5	Light blue	1000
828905-1	1.8	5.6	7.6	2.1-2.3	White	1000
DJ90115	1.8	4.7	6.2	2.1-2.4	Navy blue	1000
J00150027	1.8	5.5	6.2	2.1-2.3	Red	1000
J00150018	1.1	5.5	6.2	1.4-1.6	Green	1000
J00150011	1.0	5.0	7.5	1.3-1.5	Light blue	1000
15324994	2.4	10.5	7.5	2.7-3	Gray	1000
33541A	1.2	5.7	7.5	1.3-1.5	Light blue	1000

Product Show

